Printing date 30.05.2018 Version: 8 Revision: 06.11.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Q3 KLEAN AIR
- · Article number: 27100004
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- **Product category** PC35 Washing and cleaning products (including solvent based products)
- · Process category PROC19 Manual activities involving hand contact
- Environmental release category

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)

- · Application of the substance / the mixture Cleaning agent
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

ZEP UK Ltd

Tanhouse Lane

Widnes Cheshire, WA8 0RD

United Kingdom

Tel: +44 (0)151 422 1000 Fax: +44 (0)151 422 1011 @: info@zep.co.uk web: www.zep.co.uk

•

ZEP Industries BV Vierlinghweg 30

4612 PN Bergen op Zoom

The Netherlands

Tel: (NL) + 31 164 250 100 (B) + 32 2 347 0117 Fax:(NL) + 31 164 266 710 (B) + 32 2 347 1395

@: sales@zepbenelux.com

ZEP ITALIA SRL

Via Netunese Km. 25.000

04011 Aprilia (LT) - Italy

Tel: +39.06.926691 *Fax:* +39.06.92747061

@: tecnico@zepeurope.com

Sito: www.zep.it

Further information obtainable from:

Customer Service

NL: Tel: +31 164 250 100 Fax: +31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

· 1.4 Emergency telephone number:

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

EU: Tel. 112

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 3 H226 Flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation. Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H336 May cause drowsiness or dizziness.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 2)

Printing date 30.05.2018 Version: 8 Revision: 06.11.2017

Trade name: Q3 KLEAN AIR

(Contd. of page 1)

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

· Hazard pictograms







GHS02

GHS05

GHS0

- · Signal word Danger
- · Hazard-determining components of labelling:

Isotridecanol, ethoxylated

propan-2-ol

Benzyl salicylate

didecyldimethylammonium chloride

· Hazard statements

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

CAS: 67-63-0	propan-2-ol	10-25%
EINECS: 200-661-7 Reg.nr.: 01-2119457558-25-xxxx	Flam. Liq. 2, H225 Eye Irrit. 2, H319; STOT SE 3, H336	
CAS: 69011-36-5	Isotridecanol, ethoxylated	10-25%
Reg.nr.: 01-2119976362-32-xxxx	♦ Eye Dam. 1, H318 Aquatic Chronic 3, H412	
CAS: 7173-51-5	didecyldimethylammonium chloride	1-2.5%
EINECS: 230-525-2 Reg.nr.: 01-2119945987-15-xxxx	Acute Tox. 3, H301 Skin Corr. 1B, H314	
	🔖 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 118-58-1	Benzyl salicylate	1-2.5%
EINECS: 204-262-9	© Flam. Liq. 3, H226	
Reg.nr.: 01-211996944231-xxxx	🔥 Eye Irrit. 2, H319; Skin Sens. 1, H317 Aquatic Chronic 3, H412	
	3,7-Dimethyl-1,6-octadien-3-ol	
	🗘 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317	
CAS: 5989-27-5	d-limonene	0.1-1%
EINECS: 227-813-5 Reg.nr.: 01-2119529223-47-xxxx	🚸 Flam. Liq. 3, H226	
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Skin Irrit. 2, H315; Skin Sens. 1B, H317	

n page 3

Printing date 30.05.2018 Version: 8 Revision: 06.11.2017

Trade name: Q3 KLEAN AIR

G (G 10 < 22 0	H. Cr. H. I.	(Contd. of page
	dl-Citronellol	0.1-1%
EINECS: 203-375-0	Aquatic Chronic 2, H411	
Reg.nr.: 01-2119453995-23-xxxx	🐧 Skin Irrit. 2, H315; Skin Sens. 1, H317	
	alpha-iso-Methylionone	0.1-1%
EINECS: 204-846-3	(1) Skin Sens. 1, H317	
Reg.nr.: 01-2119471851-35-xxxx	•	
CAS: 101-86-0	alpha-Hexylcinnamaldehyde	0.1-1%
EINECS: 202-983-3	♦ Skin Sens. 1, H317	
Reg.nr.: 01-2119533092-50-xxxx		
CAS: 60-12-8	Phenethyl alcohol	0.1-1%
EINECS: 200-456-2	♠ Acute Tox. 3, H311	
Reg.nr.: 01-2119963921-31-xxxx	♦ Eye Irrit. 2, H319	

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions:

Prevent seepage into sewage system, workpits and cellars.

Inform respective authorities in case of seepage into water course or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, universal binders).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

GB

Printing date 30.05.2018 Version: 8 Revision: 06.11.2017

Trade name: Q3 KLEAN AIR

(Contd. of page 3)

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

Ingredients with limit val	· Ingredients with limit values that require monitoring at the workplace:		
67-63-0 propan-2-ol (10-	25%)		
WEL (Great Britain)		1250 mg/m³, 500 ppm	
	Long-term value: 9	999 mg/m³, 400 ppm	
57-55-6 Propylene glycol	(10-25%)		
WEL (Great Britain)		474* 10** mg/m³, 150* ppm	
	*total vapour and	particulates **particulates	
34590-94-8 Dipropylene	glycol monomethyl	ether (10-25%)	
WEL (Great Britain)	Long-term value: .	308 mg/m³, 50 ppm	
	Sk		
IOELV (European Union,		308 mg/m³, 50 ppm	
	Skin		
· DNELs			
67-63-0 propan-2-ol			
Oral DNEL Long term-systemic 26 mg/kg human/day (consumer)			

İ	67-63-0 propan-2-ol			
ľ	Oral	DNEL Long term-systemic	26 mg/kg human/day (consumer)	
	Dermal	DNEL Long term-systemic	319 mg/kg human/day (consumer)	
			888 mg/kg human/day (worker)	
	Inhalative	DNEL Long term-systemic mg/m3	89 mg/m3 (consumer)	
١			500 mg/m3 (worker)	

5989-27-5	d-limonene

Oral	DNEL acute-systemic	4.76 mg/kg human/day (consumer)
Inhalative	DNEL Acute-systemic mg/m3	33.3 mg/m3 (worker)

· PNECs

67-63-0 propan-2-ol

PNEC Freshwater mg/L	140.9 mg/L
T NEC Treshwater mg/L	140.9 mg/L
PNEC Marinewater mg/L	140.9 mg/L
PNEC Freshwater sediment	552 mg/Kg
PNEC Marine water sediment	552 mg/Kg
PNEC Intermittent release	140.9
PNEC Soil	28 mg/Kg

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Avoid contact with the skin.

- Avoid contact with the eyes and skin.
- · Respiratory protection: Not required.

(Contd. on page 5)

Printing date 30.05.2018 Version: 8 Revision: 06.11.2017

Trade name: Q3 KLEAN AIR

· Protection of hands:

(Contd. of page 4)



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

- · Not suitable are gloves made of the following materials: Strong material gloves
- · Eye protection:



Tightly sealed goggles

SECTION 9: Ph	vsical	and cl	hemical	propert	ies
DECITOTION	y Steeter	thirth Ci	VC11111Cttl	propert	000

· 9.1 Information on basic physical and chemical properties · General Information		
· Appearance: Form: Colour: · Odour: · Odour threshold:	Fluid Colourless Characteristic Not determined.	
· pH-value at 20 °C:	5.5	
Change in condition Melting point/freezing point: Initial boiling point and boiling range	Undetermined. v: 105°C	
· Flash point:	31 °C	
Flammability (solid, gas):	Not applicable.	
Ignition temperature:	207 °C	
Decomposition temperature:	Not determined.	
· Auto-ignition temperature:	Product is not selfigniting.	
· Explosive properties:	Product does not present an explosion hazard.	
Explosion limits: Lower: Upper:	1.1 Vol % 14 Vol %	
· Vapour pressure at 20 °C:	42 hPa	
Density at 20 °C: Relative density Vapour density Evaporation rate	0.978 g/cm³ Not determined. Not determined. Not determined.	
· Solubility in / Miscibility with water:	Insoluble.	
Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity: Dynamic: Kinematic at 20°C:	Not determined. 15 s (DIN 53211/4)	
· Solvent content: Organic solvents:	41.0 %	

(Contd. on page 6)

Printing date 30.05.2018 Version: 8 Revision: 06.11.2017

Trade name: Q3 KLEAN AIR

(Contd. of page 5)

Swiss VOC: 30.88 %

• 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

<u>SECTIO</u>	N 11: Toxi	cological information
11.1 Injoi Acute toxi	mation on tox city Based on	icological effects available data, the classification criteria are not met.
LD/LC50	values relevan	t for classification:
67-63-0 pi	ropan-2-ol	
Oral	LD50	>5,000 mg/kg (Rat)
Dermal	LD50	6,290 mg/kg (rab)
Inhalative	LC50 / 4 h	46-73 mg/ltr (Rat)
	LC50/8 h	12,000-19,000 mg/m3 (Rat)
	LC50 / 96 h	9,640 mg/ltr (fish)
		>1,400 mg/ltr (Lepomus gobbosus (Zonnebaars))
		6,550 mg/ltr (Pimephales promelas)
	EC50 / 24 h	>1,000 mg/ltr (Daphnia magna (water flea))
	EC 50 / 48 h	2,285-13,299 mg/ltr (Daphnia magna (water flea))
69011-36-	5 Isotridecano	ol, ethoxylated
Oral	LD50	500-2,000 mg/kg (Rat)
		Literatuur waarde
	EC50	1-10 mg/ltr (Daphnia magna (water flea))
7172 51 6	11.1 111 (Literatuurwaarde
		nylammonium chloride
Oral	LD50	238 mg/kg (Rat) OECD Guideline 401
Dermal	LD50	3,342 mg/kg (Rabbit)
Dermai	LC50 / 96 h	1 mg/ltr (Oncorhynchus mykiss (Rainbow trout))
	LC30 / 90 n	OECD guidence 203
		0.19 mg/ltr (Pimephales promelas)
	EC 50 / 48 h	0.062 mg/ltr (Daphnia magna (water flea))
		Method: US-EPA-FIFRA
3,7-Dimet	hyl-1,6-octadi	en-3-ol
Oral	LD50	2,790 mg/kg (Rat)
Dermal	LD50	5,610 mg/kg (Rabbit)
5989-27-5	d-limonene	
Oral	LD50	4,400 mg/kg (Rat)
Dermal	LD50	>5,000 mg/kg (Rat)
		>2,000 mg/kg (Rabbit)
	EC50	34.1 mg/ltr (Daphnia magna (water flea))
106-22-9	ll-Citronellol	
Oral	LD50	3,450 mg/kg (Rat)
Dermal	LD50	2,650 mg/kg (Rabbit)

Printing date 30.05.2018 Version: 8 Revision: 06.11.2017

Trade name: Q3 KLEAN AIR

		(Contd. of page 6)	
127-51-5	127-51-5 alpha-iso-Methylionone		
Oral	LD50	>5,000 mg/kg (Rat)	
Dermal	LD50	>5,000 mg/kg (Rabbit)	
60-12-8 P	60-12-8 Phenethyl alcohol		
Oral	LD50	2,230 mg/kg (Rat)	
Dermal	LD50	790 mg/kg (Rabbit)	

- Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause drowsiness or dizziness.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity			
· Aquatic toxicity:	· Aquatic toxicity:		
69011-36-5 Isotri	69011-36-5 Isotridecanol, ethoxylated		
OECD test 301 A	>70 (biodegradation in % after 28 days)		
OECD test 301 B	>60 (biodegradation in % after 28 days)		
7173-51-5 didecyl	7173-51-5 didecyldimethylammonium chloride		
OECD test 301 A	90 (biodegradation in % after 28 days) Method: OECD 301 A		
OECD test 301 B	72 (biodegradation in % after 28 days) Guideline:OECD 301 B		
OECD test 302 B	87-94 (biodegradation in % after 28 days) Test method: OECD 302 B		
5989-27-5 d-limonene			
OECD test 301 D	>92 (biodegradation in % after 28 days)		

- · 12.2 Persistence and degradability No further relevant information available.
- · Other information: The product is biodegradable.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Harmful to fish
- Additional ecological information:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

In accordance with the requirements of the RVO in the Act on Detergents and Cleansing Agents, tensides are biodegradable up to at least 90 %.

Harmful to aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

Printing date 30.05.2018 Version: 8 Revision: 06.11.2017

Trade name: Q3 KLEAN AIR

(Contd. of page 7)

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Disposal must be made according to official regulations
- · European waste catalogue

15 00 00 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING

NOT OTHERWISE SPECIFIED

15 01 00 packaging (including separately collected municipal packaging waste)

15 01 02 plastic packaging

- · Uncleaned packaging:
- · Recommendation: Disposal in accordance with administrative provisions

SECTION	14: T	ransport i	n	^f ormat	ion
----------------	-------	------------	---	--------------------	-----

· 14.1 UN-Number

UN1993 · ADR, IMDG, IATA

· 14.2 UN proper shipping name

1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL $\cdot ADR$

(ISOPROPYL ALCOHOL))

FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL · IMDG, IATA

ALCOHOL))

· 14.3 Transport hazard class(es)

 $\cdot ADR$

· Label

· Label



3 (F1) Flammable liquids. Class

· IMDG, IATA



3 Flammable liquids. · Class

· 14.4 Packing group

· ADR, IMDG, IATA III

· 14.5 Environmental hazards:

· Marine pollutant: No

· 14.6 Special precautions for user Warning: Flammable liquids.

Danger code (Kemler): 30 EMS Number: *F-E,S-E*

· Stowage Category A

· 14.7 Transport in bulk according to Annex II of Marpol and

Not applicable. the IBC Code

· Transport/Additional information:

· Limited quantities (LQ) 5L

Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· Transport category

D/E· Tunnel restriction code

(Contd. on page 9)

Printing date 30.05.2018 Version: 8 Revision: 06.11.2017

Trade name: Q3 KLEAN AIR

· IMDG
· Limited quantities (LQ)
· Excepted quantities (EQ)

- Excepted quantities (EQ)

- UN "Model Regulation":

UN 1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL)), 3, III

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Reg. (EC) n. 1272/2008 - CLP;

Reg. (EC) n. 1907/2006 - Reach;

Reg. (EC) n. 2015/830 annex II of REACH;

Reg. (EC) n. 648/04 (Detergents);

Reg. (EC) n. 528/12 (Biocides BPR);

Reg. (EC) n. 1223/2009 (Cosmetics);

Dir. 06/08 ADR – RID - IMDG - IATA;

Dir. 47/08 (Aerosols); Dir. 12/18 (Seveso III);

Dir. 2008/98/CE and Reg. (EC) n.1357/2014 (Waste management)

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Oualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 40
- Regulation (EU) No 649/2012

7173-51-5 didecyldimethylammonium chloride

Annex I Part 1

- · National regulations:
- · Technical instructions (air):

Class	Share in %
NK	25-50

- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H301 Toxic if swallowed.

H304 May be fatal if swallowed and enters airways.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

· Department issuing SDS:

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395

(Contd. on page 10)

Printing date 30.05.2018 Version: 8 Revision: 06.11.2017

Trade name: Q3 KLEAN AIR

(Contd. of page 9)

IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

Contact:

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 3: Acute toxicity – Category 3
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

* Data compared to the previous version altered.

(Contd. on page 11)

Printing date 30.05.2018 Version: 8 Revision: 06.11.2017

Trade name: Q3 KLEAN AIR

(Contd. of page 10)

Annex: Exposure scenario

· Short title of the exposure scenario

For the finished product.

Q3 SMOKE SCREEN

KDS 10 ANTI TABAC

MEASURE UP 10

ANTITABAC

ANTITABAC SPANISH

Q3 KLEAN AIR

· Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- · Product category PC35 Washing and cleaning products (including solvent based products)
- · Process category PROC19 Manual activities involving hand contact
- Environmental release category

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)

- Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
- Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Used amount per time or activity According to directions for use.
- Other operational conditions
- · Other operational conditions affecting environmental exposure Use only on hard ground.
- · Other operational conditions affecting worker exposure

Avoid contact with eyes.

Avoid contact with the skin.

Avoid long-term or repeated skin contact.

Indoor application.

Take precautionary measures against static discharge.

Keep away from sources of ignition - No smoking.

- · Other operational conditions affecting consumer exposure No special measures required.
- · Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- Technical protective measures

Use product only in enclosed systems.

Ensure that suitable extractors are available on processing machines

Provide explosion-proof electrical equipment.

Personal protective measures

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eyes.

Tightly sealed goggles

Protective gloves

- · Measures for consumer protection Ensure adequate labelling.
- · Environmental protection measures
- · Water

Do not allow to reach sewage system.

Generally, prior to the introduction of wastewater into wastewater treatment plants a neutralisation is required.

· Soil Prevent contamination of soil.

· Disposal measures

Disposal in accordance with administrative provisions

Ensure that waste is collected and contained.

- · Disposal procedures Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- · Waste type Partially emptied and uncleaned packaging
- Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- Guidance for downstream users No further relevant information available.